



Catalogue
CATERING
Chapter
REFRIGERATION

Model
 EAFP-1603/2 230V 1N 50Hz

19042470

04/04/2019

REFRIGERATED CABINET DE DOS TEMPERATURAS CONCEPT, EAFP-1603/2

- Constructed in AISI-304 stainless steel.
 - Copper piping and aluminium flaps evaporator.
 - Digital display for electronic and digital control of temperature and defrosting.
 - Opened door delay alarm.
 - Self-closing and stay open doors. When opened less than 90° they close by themselves. When opened more than 135° they stay open.
 - Built-in drainage to get rid of waste liquids inside the unit.
 - Embedded bottom and curved panels inside for easy cleaning and maintenance.
 - Height adjustable stainless steel legs.
 - Inner LED lights with power switch.
 - 60 mm, 40 kg/m³ injected polyurethane insulation.
 - Embedded inner tray slides. Storage trays at 24 different levels 55 mm from each other.
 - Forced draught cooling system with hermetically sealed compressor.
 - Removable plastic covered steel grid shelves for easy cleaning.
- Equipment: 3 shelves per large door.
- Working temperature: from -2 °C to +8 °C. Ambient temperature: 43 °C (Except specific intensive usage).
 - Number of doors: 3

TWO TEMPERATURES:


- 2 separate compartments with independent refrigeration units, systems and thermostats.

Options:

- Castor kit (factory assembly).
- Tropicalised unit.
- HACCP.
- "- Stainless steel back panel.

DIMENSIONS

| | | | |
|------------|----------------------|----------------|----------------------|
| X Width | 1388 mm | X Gross width | 1430 mm |
| Y Depth | 826 mm | Y Gross depth | 880 mm |
| Z Height | 2008 mm | Z Gross height | 2027 mm |
| Net Weight | 302,0 kg | Gross Weight | 320,0 kg |
| Net volume | 2,302 m ³ | Gross volume | 2,551 m ³ |



ELECTRICITY TECHNICAL SPECIFICATIONS

| | |
|--------------------|-----------|
| Electric power | 0,369 kW |
| Voltage | 230V - 1N |
| Amperage | 0,9 A |
| Electric frequency | 50Hz |

GAS TECHNICAL SPECIFICATIONS

| | |
|----------|--------|
| Gas type | R-600a |
|----------|--------|

COLD TECHNICAL SPECIFICATIONS

| | |
|---------------------------|------------|
| Refrigeration power | 0,296 kW |
| Annual elec. consumption | 905,00 kWh |
| Power consumption 24h | 2,48 kWh |
| Gross internal volume | 1301 L |
| Refrigeration net.vol | 437 L |
| Climate class | 4 |
| Cooling gas load | 98,000 g |
| Clasif. Energy efficiency | D |

CONNECTIONS TECHNICAL SPECIFICATIONS

| | |
|--------------------------|------------|
| Single-phase 230V wiring | 2X1,5+T-2A |
|--------------------------|------------|



Catalogue
CATERING

Chapter
REFRIGERATION

Model
EAFP-1603/2 230V 1N 50Hz

19042470

04/04/2019

